

Max Exterior Range of Decors

GIVE YOUR BUILDINGS CHARACTER



for people who create





- 4 Products
- 8 Sustainability and Environment
- 9 Max Exterior Range of Decors
- 10 Finish
- 11 Sky
- 12 Individualdecor
- 14 Authentic
- 15 Metallic
- 16 Colour
- 26 Nature
- 34 Material
- 42 Decor overview

Create New Worlds

Shape, colour and material all convey emotions, tell stories and inspire new ideas. And they all lend our buildings character. Therefore, with this brochure we want provide you an overview of the creative and technical components of the Max Exterior panels for outdoor use.

If you have any questions that are not answered in this brochure, please contact our sales department or application engineering department at support@fundermax.biz. We are happy to help!

THE FIGURES IN OUR BROCHURES ARE SCHEMATIC REPRESENTATIONS AND ARE NOT TO SCALE.

Exclusion of Liability

The information made available in this document are exclusively for purposes of general information. Not all of the systems mentioned and shown in this document are appropriate or suitable for all areas of application. All customers and third parties are obligated to inform themselves thoroughly about FunderMax products, including their suitability for certain purposes. We explicitly recommend that you and other users of this document seek out independent expert advice on adherence to local planning and use requirements, applicable laws, regulations, standards, guidelines and testing standards. FunderMax accepts no liability in connection with the use of this document.

COPYRIGHT

ALL TEXTS, PHOTOGRAPHS, GRAPHICS, AND AUDIO AND VIDEO FI LES ARE PROTECTED BY COPYRIGHT LAW AS WELL AS BY FURTHER INTELLECTUAL PROPERTY LAWS AND MAY NOT BE DUPLICATED, ALTERED OR USED ON OTHER WEBSITES FOR PURPOSES OF BUSINESS, ETC.

What Max Exterior Can Do

Max Exterior panels are duromer high-pressure laminates (HPL) in accordance with EN 438-6 Type EDF that are produced in lamination presses under great pressure and high temperature. Double-hardened acrylic PUR resins provide extremely effective weather protection that is particularly suitable for longlasting balconies and façade claddings.



PROPERTIES*:


- Weather resistant to EN ISO 4892-2
- lightfast acc. to EN ISO 4892-3
- Double hardened
- Scratch resistant
- Solvent resistant
- Hail resistant
- · Easy to clean
- Impact resistant EN ISO 178
- Suitable for all exterior applications
- Decorative
- Self-supporting
- Bending resistant EN ISO 178
- Frost resistant -80°C to 180°C (DMTA- OFI 300.128)
- Heat resistant -80°C to 180°C (DMTA- OFI 300.128)
- Easy to install

* STANDARD- AND ACTUAL-VALUES YOU WILL FIND ON OUR WEBSITE WWW.FUNDERMAX.AT.




Exterior





Max Exterior F-Quality

As a standard, Max Exterior panels come printed on both sides. The core is flame-retardant and the surface is lightfast. Thanks to the double-hardened resin, it is also extremely weather resistant. (Fire Test EN 13501-1, B-s2,d0)



Sandwich-Elements

The Max Exterior panels in F-Quality also come polished on just one side for use in sandwich elements.



Processing (Compact Elements)

FunderMax offers CNC controlled processing and panel cutting. With state-of-the-art devices, it is possible to produce everything: from simple cutouts for mounting the façade panels, to intricate milling for balcony elements. We can make just about anything you can dream up.



Professional Consulting

With our services you can use our products even more effectively. For example, take advantage of our free architect consulting and comprehensive system solutions. The same is of course also true if you have any questions about the content of this brochure or the designs and technology.

5

Max Exterior F-Quality

Max Exterior is a high-quality construction product which is used especially for long-lasting balcony and façade claddings. Max Exterior panels are duromer high-pressure laminates (HPL) in accordance with EN 438-6 Type EDF with extremely effective weather protection. This weather protection consists of doublehardened acrylic polyurethane resins. They are produced in lamination presses under great pressure and at high temperatures. Max Exterior panels are, of course, labelled with the CE-Mark necessary for their use in building applications.

SURFACES

NT

NH (Hexa)/NT NG* (Gloss)/NG (Gloss) NY (SKY)/NT (format 4100 x 1854 mm only) (format 4100 x 1300 mm only) (format 4100 x 1300 mm only, thicknesses 6 mm, 8 mm, limited decor palette)

FORMATS (aprox)

 $\begin{array}{l} 2800 \ x \ 1300 = 3,64 \ m^2 \\ 110,24^{\ast} \ x \ 51,18^{\ast} = 39,18 \ {\rm sf} \\ 4100 \ x \ 1300 = 5,33 \ m^2 \\ 161,42^{\ast} \ x \ 51,18^{\ast} = 57,37 \ {\rm sf} \\ 2800 \ x \ 1854 = 5,19 \ m^2 \\ 110,24^{\ast} \ x \ 72,99^{\ast} = 55,87 \ {\rm sf} \\ 4100 \ x \ 1854 = 7,60 \ m^2 \\ 161,42^{\ast} \ x \ 72,99^{\ast} = 81,81 \ {\rm sf} \end{array}$

* TO GET A PERFECT DESIGN OF THE FAÇADE CLADDING WITH NG SURFACE IT IS RECOM-MENDED TO GLUE THE PANELS ON AN ALUMINI-UM-SUBCONSTRUCTION. SUBCONSTRUCTION LIKE WOOD DO NOT HAVE THE RIGHT PROPER-TIES TO AVOID A WAVY

APPEARANCE OF THE

CORE

F-Quality, flame-retardant, colour brown


THICKNESSES

Panels with double-sided decor:ThicknessesTolerances (EN 438-6, 5.3)4,0 - 4,9 mm $\pm 0,3 \text{ mm}$ 5,0 - 7,9 mm $\pm 0,4 \text{ mm}$ 8,0 - 11,9 mm $\pm 0,5 \text{ mm}$ 12,0 - 13,0 mm $\pm 0,6 \text{ mm}$ Higher thicknesses on request in standard quality, Format XL.

Panels with sanded-reverse side:

For symmetrically structure	ed sandwich elements.
Thicknesses	Tolerances (EN 438-6, 5.3)
2,0 - 2,9 mm	± 0,2 mm
3,0 - 4,0 mm	± 0,3 mm

In order to be able to design the inner sides of balconies with a uniformly light look, it is also possible to produce Max Exterior panels with a white (rear) side using decor 0890 NT – Balcony white. As a result of the differing decor structure, the fastening spacings given in our Technical Information brochures should be reduced by about 15 %.




TOLERANCES +10 - 0 mm (EN 438-6, 5.3)

PANEL FORMATS ARE PRODUCTION FORMATS. IF EXACT DIMENSIONS AND ANGLES ARE NECESSARY, WE RECOMMEND AN ALL-SIDED BLANK. DEPENDING ON THE METHOD OF TRIMMING, NET SIZE IS REDUCED BY CA. 10 mm.



STRUCTURE MAX EXTERIOR PANEL



PHYSICAL DATA

PROPERTIES	TEST METHOD	ASSESSMENT	STANDARD VALUE	ACTUAL VALUE	
LIGHT-FASTNESS AND WEATHER RESISTANCE (SURFACE NT)					
Artificial weathering*	EN ISO 4892-2 3000 h	EN 20105-A02 greyscale	≥ 3	4-5	
PROPERTIES	TEST METHOD	ASSESSMENT	STANDARD VALUE	ACTUAL VALUE	
MECHANICAL PROPERTIES					
Apparent density	EN ISO 1183-1	g/cm³	≥ 1,35	≥ 1,35	
Flexural strength	EN ISO 178	MPa	≥ 80	≥ 80	
Modulus of elasticity	EN ISO 178	MPa	≥ 9.000	≥ 9.000	
Coefficient of thermal expansion	DIN 52328	1/K		18 x 10 -6	
Thermal conductivity		W/mK		0,3	
Water vapour diffusion resistance				ca. 17.200 µ	
FIRE BEHAVIOUR					
Europe	EN 13501-1	MA39-VFA Vienna	/A39-VFA Vienna Euroclass B-s2, d0 für 6 - 13** mm		
Switzerland		EMPA Dübendorf	Fire classification 5.3 fü	r 6 - 13 mm	
Germany	DIN 4102	MPA-Hannover	B1 für 6 - 10 mm		
France	NFP 92501	LNE	M1 für 2 - 10 mm		
Spain	UNE 23727-90	LICOF	M1 für 6 - 10 mm		
PERMITS					
Façade permit Germany		Institut für Bautechnik Berlin	6, 8, 10 mm, Approval-No. Z-10.3-71	2	
ETB guidelines for building components which safeguard against falls, June 1985. Balcony railings.		TU Hannover	Passed (depending on b construction 6, 8 or 10 r	building regulation and railin mm panel thickness)	
Avis technique Frankreich		CSTB	6, 8, 10 und 13 mm, wo metal subconstruction Avis Technique n° 2/10- Avis Technique n° 2/10- Avis Technique n° 2/10- Avis Technique n° 2/10-	1427 1504 1505 1513	

FOR THE SURFACE NT APPLIES A GLOSS DEGREE TOLERANCE OF +/- 5 GE MEASURED AT 60° *DECOR AUTN: ARTIFICIAL WEATHERING EN ISO 4892-2: 1500H; ASSESSMENT ACCORDING GREYSCALE EN 20105-A02: 2 *DECOR INDIVIDUALDECOR: ARTIFICIAL WEATHERING EN ISO 4892-2: 3000H; ASSESSMENT ACCORDING GREYSCALE EN 20105-A02: 3 **EXCEPTION IS PODIO-BALCONY FLOOR PANEL; EUROCLASS B-S2,D0 FOR 6 - 20 MM

ALL THE RESPECTIVE CURRENT CERTIFICATES AND APPROVALS ARE AVAILABLE IN THE DOWNLOAD SECTION AT WWW.FUNDERMAX.AT. PLEASE OBSERVE ALL VALID BUILDING REGULATIONS. WE WILL ASSUME NO RESPONSIBILITY IN THIS REGARD.

Resource and Environmentally Friendly Façade Panels

We are specialists in the processing of renewable raw materials – and have been for over 100 years. Our production cycles are closed, production waste is either recycled back into the production process or used to generate energy in our green energy district heating plants. This works so well, that today as a private company we provide district heating to over 3,000 households.



QUALITY MANAGEMENT SYSTEMS

FunderMax has oriented its production facilities and processes on internationally recognized standards such as ISO 9001, ISO 14001, OHSAS 18001 and EN 16001. This fact gives all customers the assurance that they have in their hands a high-quality construction product. And in its procurement of raw materials and intermediate products, FunderMax orients itself on uptodate standards such as FSC and PEFC*.

SUSTAINABLE PRODUCTION

Max Exterior is made from natural fibre panels — around 65%, by weight consisting largely of wood that has been processed into "kraft papers". This wood is a by-product of sawn lumber production or of sawmills. We source these raw materials from vendors certified according to the standards FSC or PEFC. These standards ensure that the wood is produced in compliance with internationally applicable rules for sustainable forestry.

The kraft papers are impregnated with synthetic resins in impregnation facilities, dried, and pressed into durable, moistureresistant panels under high pressure and heat. These panels do not contain organic halogen (or chlorine, fluorine, bromine, etc.) compounds such as are found in greenhouse gases or PVC. They contain neither asbestos nor wood protection agents (fungicides, pesticides, etc.) and are free of sulphur, mercury and cadmium.

The exhaust air removed from the drying process is treated using a process of regenerative thermal oxidation, with the resulting heat being fed back into said drying process. For its installation of this efficient exhaust air treatment, FunderMax was awarded the "Klima:aktiv" award for best practices by the Austrian Energy Agency and the Austrian Federal Ministry of the Environment. This avoids CO_2 emissions of ca. 10,000 tons annually at the production site.

*PLEASE FIND FURTHER INFORMATION AT WWW.FUNDERMAX.COM

WASTE DISPOSAL

FunderMax

Chips and shavings produced by processing (cutting and milling) are not hazardous to human health. This also means that waste can even be disposed of thermally without the emission of environmental toxins such as hydrochloric acid, organic chlorine compounds or dioxins, assuming modern heating systems. At appropriately high temperatures, and assuming both sufficiently long retention of the combustion gas in the combustion space and a sufficient oxygen supply, Max Exterior decomposes into carbon dioxide, nitrogen, water and ash. The energy emitted via this process can be put to use. Disposal in properly managed commercial waste disposal sites is unproblematic. As a matter of principle, country-specific laws and regulations with regard to disposal must be adhered to.



Architecture Begins in the Mind

It all starts with an idea. Then the first pictures. Many questions arise. What is possible? Does the form follow the function? What colours and materials speak the right language? And to what degree can creativity be the benchmark?

Whatever form your imagination takes, the new Exterior Range of ecors from FunderMax opens up a world of innovative designs with which you can give your buildings a very unique character.

A A HAD


9

The curtain rises. Awaiting behind it are shimmering colours, expressive textures and millions of possible combinations. Tap into this source of inspiration and lend your buildings an unmistakable character.

FINISH

Our finishes are all weatherproof, optimally lightfast, highly durable, and combinable with almost every FunderMax decor.







NT The silk-matte look with a feel of fine hammer embossed finish. NG The glossy high-class touch that enhances any decor. **NH** Our surface with the specially printed hexagon pattern – slip-free and ideal for that special emphasis.









SKY

DUE TO THE PRINTING PROCESS, THE ORIGINAL PATTERNS MAY DIFFER FROM THE IMAGES IN THIS BROCHURE.

With its distinctive gloss and matt facets, Sky opens up a world of possibilities. Appealing to the eye, and impressive to touch, it is full of depth and character. Unleashing new potential, especially when re-creating stone or concrete finishes.

0394 Moonwalk



0426 Loft





0427



0496 Colosseum



0793



0497 Stonehenge



0794 Patina Bronze



0421 Venus





0406

Exterior

FunderMax

11


Individualdecor

If you can think it, we can print it. Make your imagination into individual, largesized decor concepts. With various formats and motifs spanning over multiple formats, your fantasy becomes reality. Give your buildings character with truly unique designs.

As a small inspirational source, we present to you a few application examples on next page. FunderMax Individualdecor has made all of them possible.

Find all information about FunderMax Individualdecor on www.individualdecor.com





Ideas with Form

With individual designs from FunderMax, you have the freedom to provide facades, balconies and outdoor-applications with creative and completely unique designs. Your design can be printed on single panels, or as in the image below, across several panels. Ideal for large designs and special visual effects.





Baumit Sales Location, Austria Impressive facade with a custom design from the Baumit advertising line. Design and photos: Baumit





Haus der Generationen, Österreich Treetop design for smooth transitions between home and environment. Designed by Gerhard Mitterberger.





Clientis Park, Switzerland Cubic headquarters with mosaic design and the highest energy standard. Concept by Architektengemeinschaft 4 and Atelier 47.

Exterior FunderMax 13



.11

Authentic Natura

The power of nature forms these highly individual looks: its unparalleled structure gives Authentic Natura an exceptionally natural appearance. Combined with the lively decor structure, this look makes every single panel a unique item.





Civic centre Ginsheim-Gustavsburg, Germany Winner of the "Deutsche Fassadenpreis" 2011. Conceived by Hille Architekten, photographed by Horst Goebel.





Fire station Saltaus, Italy Monolithic design, surrounded by nature. Projected by architects Menz + Gritsch.







metallic

Metallic additionally gives your decors a timeless gleam. This is made possible by combining a transparent overlay with metallic flakes and a plaincoloured decor. If you're interested in other Metallic combinations, please get in touch with us.






black & white

Exterior FunderMax

16

The eternal tension between light and shade – a daily presence, a continuous novelty. This much elegance is combinable with every other of our decors. Give your buildings maximum appeal through contrast.










neon


Fascinating optical intensity. With an all-new process, Max Exterior panels can now be produced with even more vibrant colours. Give your buildings incredible brilliance.






yellow

The last glimmering streak of a sunset. Jasmine flowers delicately glowing in the backlight. Give your buildings freshening colour shades.






The lush gloss of fully ripe cherries. The soft play of colours in an opened rose blossom. Give your buildings deeply felt passion.






blue

The mysterious depth of the night sky over the city. Seawater glistening in a thousand different colour facets. Give your buildings fantastical inspiration.







green

22

A sea of fern leaves in the forest's twilight. The iridescent eyes of a feline. Give your buildings a look of opulence.







MAX EXTERIOR RANGE OF DECORS – COLOUR



brown

Clay castles in front of a steel-blue savannah sky. The delicately speckled house of a vineyard snail. Give your buildings a pristine, natural look.









pastel

Stones smoothed by the waters of the surf. Subtle interplay of ivory and cream shades. Give your building exceptionally noble looks.






impressive

26

Distinctive at first glance - and at any further one. The look of precious woods from all over the world. Give your buildings impressive style.





MAX EXTERIOR RANGE OF DECORS - NATURE



pure

Clear lines and dynamic structures between warm solid wood and urban coolness. Give your buildings powerful simplicity.









MAX EXTERIOR RANGE OF DECORS - NATURE

iconic

Purposely asymmetric structures and high-contrast lighting makes for visually stunning dynamics. Give your buildings impulses overflowing with life.









essential

Detailed patterns, delicate lines, earthy expressions. A world of warm colours, reduced to its substance. Give your buildings charisma.

NEW





Exterior FunderMax

0161 Light Afro



ro Terra

0168 Akro Rust



0169 Akro Ruby




0160 Dark Afro



HX.

32



MAX EXTERIOR RANGE OF DECORS - MATERIAL



energetic

Internally moved, caught in a constant flow. A fascinating play of colour, structure and material. Give your buildings effects that reveal something previously unseen every time you look.



Exterior FunderMax

34







0794 Patina Bronze



0386 Blues









Strong colour accents and calm structures in perfect harmony. Give your buildings timeless design.

0162 Afro Sahara

Exterior FunderMax

0158 Afro Grey







0026 Prado Alu Grey



0027 Prado Agate Grey







MAX EXTERIOR RANGE OF DECORS - MATERIAL



solid

Witnesses of nature's sturdy power resulting in both strong and tender structures. Give your buildings fascinating plastic intensity.

0394 Moonwalk



Exterior FunderMax

0344 Riverside





0496



0421 Venus



0406 Rockstar







XXXX

XXXX

MAX EXTERIOR RANGE OF DECORS – MATERIAL

urban

NEW

Impressive, cold, larger than life: the scenery of a megacity transferred into gripping looks. Give your buildings the expression of modern metropolises.







	FORMATS (mm) AND SURFACES											
DECOR TYPE	DECOR NO.	DECOR NAME	NEAREST NCS CODE	GR 2800 x 1300	JU 4100 x 1300	SP 2800 x 1854	XL 4100 x 1854	JU 4100 x 1300	XL 4100 x 1854	JU 4100 x 1300	DECOR ON REAR SIDE	GRAIN
COLOU	IR			NT	NT	NT	NT	NG	NH*	NY*		
U	0056	Atlantis	S 3040-B40G	0	0	0	0	0	0		х	Ν
U	0059	Dark Green	S 5020-G			0	0		0		Х	N
U	0065	lvory	S 0510-Y20R	0	0	0	0	0	0		X	N
U U	0066 0070	Sand Carbon Grey	S 1505-Y20R S 7502-B	0	0	0	0	0	0		X X	N N
U	0070	Pale Ivory	S 0505-G90Y	0	0	0	0	0	0		x	N
U	0074	Pastel Grey	S 2500-N	0	0	0	0	0	0		x	N
U	0075	Dark Grey	S 5000-N	0	0	0	0	0	0		X	N
U	0077	Charcoal	S 7005-R50B	0	0	0	0	0	0		х	N
U	0080	Black	S 9000-N	0	0	0	0	0	0		х	Ν
U	0085	White	S 0502-G50Y	0	0	0	0	0	0		х	Ν
U	0091	Starlight	S 0502-R50B	0	0	0	0	0	0		х	Ν
U	0237	Gentian Blue	S 5040-R80B	0	0	0	0	0	0		х	Ν
U	0591	Fir Green	S 7020-B90G	0	0	0	0	0	0		Х	Ν
U	0592	Kiwi Green	S 1015-G40			0	0		0		X	N
U	0611	Pale Olive	S 2010-G90Y	<u>^</u>	2	0	0	<u>^</u>	0		X	N
U	0612	Olive Retrol Groop	S 5020-G70Y	0	0	0	0	0	0		X	N
U	0617 0623	Petrol Green	S 6020-B30G S 4040-G10Y	0	0	0	0	0	0		x x	N
U	0623	Green Hygienic Beige	S 4040-G10Y S 2010-Y40R	0	0	0	0	0	0		x	N
U	0627	Turquoise	S 6020-B10G	0	0	0	0	0	0		X	N
U	0645	Tobacco	S 4020-Y30R	0	0	0	0	0	0		x	N
U	0647	Golden Yellow	S 1050-Y10R	0	0	0	0	0	0		x	N
U	0651	Cream	S 0907-Y50R	0	0	0	0	0	0		х	Ν
U	0654	Jasmin	S 1515-Y20R			0	0		0		х	N
U	0657	Sepia Brown	S 8010-Y50R	0	0	0	0	0	0		х	Ν
U	0661	Terracotta	S 4040-Y80R	0	0	0	0	0	0		х	N
U	0662	Jade Green	S 4010-G30Y	0	0	0	0	0	0		х	Ν
U	0663	Reseda Green	S 1510-G20Y			0	0		0		х	Ν
U	0674	Mars Red	S 1580-Y90R	0	0	0	0	0	0		х	Ν
U	0680	Wine Red	S 5040-R10B	0	0	0	0	0	0		х	Ν
U	0687	Maize	S 0520-Y20R	0	0	0	0	0	0		х	N
U	0689	Dark Red	S 2570-Y80R	0	0	0	0	0	0		X	N
U	0691	Purple	S 5040-Y90R	0	0	0	0	0	0		x	N
U U	0692 0693	Old Pink Orchid	S 4020-Y60R S 2010-Y80R	0	0	0	0	0	0		X X	N N
U	0702	Night Blue	S 8010-R70B	0	0	0	0	0	0		x	N
U	0702	Dove Blue	S 3020-B10G	0	0	0	0	0	0		x	N
U	0706	Glacier Blue	S 2010-B			0	0	Ť	0		x	N
U	0712	Steel Blue	S 4030-B	0	0	0	0	0	0		х	Ν
U	0717	Atlantic	S 2060-R90B	0	0	0	0	0	0		х	N
U	0725	Yellowish Green	S 1060-G60Y	0	0	0	0	0	0		х	Ν
U	0733	Hygienic White	S 0804-Y30R	0	0	0	0	0	0		х	Ν
U	0736	Saffron	S 1050-Y20R	0	0	0	0	0	0		х	Ν
U	0741	Birch Grey	S 2002-G50Y	0	0	0	0	0	0		х	Ν
U	0742	Pebble Grey	S 1002-Y	0	0	0	0	0	0		х	N
U	0747	Medium Grey	S 4502-Y	0	0	0	0	0	0		X	N
U	0753	Cool Grey Medium	S 3502-B	0	0	0	0	0	0		X	N
U	0768	Sparrow	S 6005-Y20R	0	0	0	0	0	0		X	N
U U	0776	Concrete Grey Winter White	S 4005-B20G	0	0	0	0	0	0		X	N N
U	0851 3003	Rubinus Red	S 0505-Y30R S 2570-R	0	0	0	0	0	0		x x	N
U	3003	Black Red	S 8010-R10B	0	0	0	0	0	0		x	N
U	5032	Cinnamon	S 3560-Y30R	0	0	0	0	0	0		x	N
U	6010	Electric	S 0580-Y	0	-		-		•		0077	N
U	6020	Satsuma	S 0585-Y40R	0							0077	N
U	6030	Candy	S 1070-R20B	0							0077	N
U	6031	Berry	S 2065-R20B	0							0077	Ν
U	6040	Grape	S 3555-R60B	0							0077	N
U	6050	Pool	S 1565-B	0							0077	Ν

LEGEND X = DESIGN ON BOTH SIDES O = NO QUANTITY LIMIT, DELIVERY TIME PROVIDED UPON REQUEST. R = THIS DESIGN IS UNI-DIRECTIONAL, PLEASE NOTE FOR OPTIMIZATION AND CUTTING. N = THIS DESIGN IS MULTI-DIRECTIONAL, YOU CAN TURN IT WHEN CUTTING. PROTECTIVE LAMINATE COVER FOR TRANSPORT AVAILABLE FOR AN EXTRA CHARGE.

U = COLOUR H = NATURE M = MATERIAL S = METALLIC C = AUTHENTIC

XL

Æ

NG = GLOSS NH = HEXA NY = SKY

Exterior

FunderMax

43

DECOR ON REAR SIDE DECOR DECOR TYPE NO. x 1300 x 1854 x 1300 x 1300 x 1854 x 1300 x 1854 GRAIN NATUR NT NT NT NG NY* NT NH³ н R 0160 Dark Afro 0 0 0 0 х 0 0 н 0161 Light Afro 0 0 0 0 0 0 х R н 0168 Akro Rust 0 0 0 0 0 0 х R Akro Ruby н 0169 0 0 R 0 0 0 0 х н 0601 Sun Pear 0 0 0 0 0 0 х R н 0801 Fir Platinum 0 0 0 0 0 R х н 0803 Tyrol Pine 0 0 0 0 0 0 х R н 0919 Ecuador 0 0 0 0 0 0 х R н 0922 0 0 0 0 0 0 х R Amazon н 0 0 R 0923 Enigma 0 0 0 0 х Н 0924 Taurus 0 0 0 0 0 х R 0 н 0925 0 0 R Butterfly 0 0 0 0 х н 0926 0 0 0 0 0 х R Jazz 0 н 0927 Creek 0 0 0 0 0 0 х R н 0928 Gold Coast 0 0 0 0 0 0 х R н 0929 Antique 0 0 0 0 0 0 х R 0 н 0930 Phoenix 0 0 0 0 0 R х Н 0931 Akro Almond 0 0 0 0 0 0 х R 0932 Akro Terra R н 0 0 0 0 0 0 х н 0935 Voyager 0 0 0 0 0 0 х R н 0936 Thunder 0 0 0 0 0 0 х R н 5171 Polar Oak 0 R 0 0 0 0 0 х н 5172 Marshland Oak 0 0 0 0 0 0 х R н 5173 Barrique Oak 0 0 0 0 0 0 х R MATERIAL NT NT NT NT NG NH NY* М 0026 Prado Alu Grey 0 0 0 0 х R 0 0 М 0027 Prado Agate Grey 0 0 0 0 0 0 х R Prado Brown М 0028 R 0 0 0 0 х М 0156 Afro Patina 0 0 0 0 0 0 х R Afro Grey м 0158 0 R 0 0 0 0 0 х М 0159 Afro Black 0 0 х R 0 0 0 0 М 0162 Afro Sahara 0 0 0 0 0 0 х R М 0344 Riverside 0 0 R 0 0 0 0 0 х М 0386 Blues 0 0 0 0 0 0 х R М 0387 0 0 0 0 0 R Reggae 0 х М 0394 Moonwalk 0 0 0 0 0 0 0 х R М 0406 0 0 0 R Rockstar 0 0 0 0 х М 0421 Venus 0 0 0 0 0 0 0 х R 0 R М 0426 Loft 0 0 0 0 0 0 х М 0427 Skyline 0 0 0 0 0 0 0 х R М R 0428 Cave 0 0 0 0 0 0 х М 0429 0 0 0 0 0 х R Corro 0 М 0480 Kings Cross 0 0 0 0 0 0 R х 0 М 0481 Satellite 0 0 0 0 0 х R М 0 0 0496 Colosseum 0 0 0 0 0 х R М 0497 Stonehenge 0 0 0 0 0 0 R 0 х М 0793 Patina Tin 0 0 0 0 0 0 0 х R М 0794 Patina Bronze 0 0 0 0 0 R 0 0 х М 0798 Tambora 0 0 0 0 0 0 х R METAL LIC N٦ NT NT NT NG NH NY 0056 + G S Atlantis + Glitter 0 R 0 0 х 0066 + G S Sand + Glitter 0 0 0 х R 0077 + G s Charcoal + Glitter R 0 0 0 х 0080 + G s R Black + Glitter 0 0 0 х 0768 + G s Sparrow + Glitter 0 0 0 х R 5032 s R Cinnamon + Glitter 0 0 0 х + G AUTHENTIC³ NT NG NH³ NT NT NΤ NY AUTN R С Authentic Natura 0 х 0

FORMATS (mm) AND SURFACES

JU 4100

SP 2800

JU 4100

XL 4100

XL 4100

JU 4100

GR 2800

DECOR NAME

				4	
			1		

FUNDERMAX FRANCE 3 Cours Albert Thomas F-89003 Lyon Tel.: + 33 (0) 4 78 68 28 31 Fax: + 33 (0) 4 78 85 18 56 infofrance@fundermax.biz www.fundermax.fr

FUNDERMAX SPAIN Pol. Ind. Can Salvatella Avda. Salvatella, 85–97 E-08210 Barberà del Vallès (Barcelona) Tel. + 34 93 729 63 45 Fax: + 34 93 729 63 46 info.spain@fundermax.biz www.fundermax.es

FUNDERMAX INDIA Pvt. Ltd. No. 13, 1st floor, 13th Cross Wilson Garden Bangalore – 560 027 Tel.: + 91 80 4112 7053 Fax: + 91 80 4112 7053 officeindia@fundermax.biz www.fundermax.at

FUNDERMAX POLSKA Sp. z o.o. ul. Rybitwy 12 PL-30 722 Kraków Tel.: + 48 12 653 45 28 Fax: + 48 12 657 05 45 infopoland@fundermax.biz

FUNDERMAX SWISS AG Industriestrasse 38 CH-5314 Kleindöttingen Tel.: +41 56 268 83 11 Fax: +41 56 268 83 10 infoswiss@fundermax.biz www.fundermax.ch

FUNDERMAX NORTH AMERICA INC. 2015 Ayrsley Town Blvd. Suite 202 Charlotte, NC 28273, USA Tel.: +1 980 299 0035 Fax: +1 704 280 8301 office.america@fundermax.biz

FunderMax GmbH

Klagenfurter Straße 87-89, A-9300 St. Veit/Glan T +43 (0) 5/9494-0, F +43 (0) 5/9494-4200 office@fundermax.at, www.fundermax.at WEB-01/18-PR0072GB.00

MEMBER OF *Constantia* INDUSTRIES